


	SPECIFICATIONS			
	CONTACT CARRIER MATERIAL/COLOR	TPU/YELLOW		
-	MOLDED HEAD MATERIAL/COLOR	TPU/YELLOW		
	CONTACT MATERIAL/PLATING	BRASS/GOLD		
	COUPLING NUT MATERIAL/PLATING	BRASS/NICKEL		
	RATED CURRENT [A]	10.0 A		
	RATED VOLTAGE [V]	600 V		
	OUTER CABLE JACKET MATERIAL/COLOR	PVC/YELLOW		
	CONDUCTOR INSULATION MATERIAL	PVC		
	NUMBER OF CONDUCTORS [AWG]	4x16 AWG		
	TEMPERATURE RANGE	-40° C to $+105^{\circ}$ C (-40° F to $+221^{\circ}$ F)		
	PROTECTION CLASS	MEETS NEMA 1,3,4,6P AND IEC IP67		



CABLE LENGTH	TOLERANCE *			
ALL LENGTHS	+ 4% (OR 50mm) OF LENGTH - 0% (OR 0mm) OF LENGTH WHICHEVER IS GREATER			
STRIP LENGTH	TOLERANCE*			
0-7mm	±0.5mm ±1.0mm ±2.0mm ±3.0mm			
8-29mm				
30-49mm				
50-69mm				
70-100mm	±4.0mm			
OVER 100mm	±5.0mm			
* UNLESS OTHERWISE SPECIFIED				

TV 09/08/17

DATE

60671

ECO NO.

NOTES:

REV DESCRIPTION

1. "*" INDICATES CABLE LENGTH IN METERS. CONTACT TURCK TO ORDER SPECIFIC LENGTHS.

E UPDATED GRN CONDUCTOR TO GRN/YEL PER ECO

ATED DOCUMENTS	3RD ANGLE PROJECTION	WRITTEN PERMISSION IS PROHIBITED.		RCK	3000 CAMPUS MINNEAPOLIS, MN 1-800-544- (763) 553-7 (763) 553-0 www.turck.	N 55441 7769 7300 0708 fax
ERIAL		DRFT RWC	DATE 07/06/07	DESCRIPTION DVM DIZ	M 16 *M	
SEE SPECIFICATIONS	ALL DIMENSIONS DISPLAYED ON THIS	APVD	SCALE 1=1.0	IX LIVI TXYX	V 40- V	
DRAWING ARE FOR REFERENCE ONLY	UNIT OF MEASUREMENT		IDENTIFICATION NO		REV	
SH				DENTIFICATION NO.		````
	FOR MORE	IVIILLINIE I C	_11 [II4 \]			L
SEE SPECIFICATIONS	INFORMATION	DO NOT COME	THE DRAWING	EUE. 777008762	Lourer	1 OF 1
SEE SPECIFICATIONS	DISPLAYED ON THIS DRAWING ARE FOR REFERENCE ONLY CONTACT TURCK	WRITTEN PERMISSION IS PROHIBITED. DRFT RWC APVD	DATE 07/06/07 SCALE 1=1.0 ASUREMENT FR [INCH]	DESCRIPTION	(763) 553-0	0708 us

SOURCE DRAWING - FOR REFERENCE ONLY