


Bimetal Thermometer



Part #:	BB060CF47-HVPY
Description:	Industrial Bimetal Dial Thermometer, 5" Dial Back Conn./Reset, 6" Stem, 1.5" Triclamp Sanitary Connection 316 stainless steel stem, 0/250°F, Hi-Vis Dial (High Visibility), Polycarbonate Window

Thermometer Data:	
Dial Size/ Configuration:	5" Dial Back Conn./Reset
Stem Length, "A" :	6 in. (152mm)
Stem Dia., "d" :	1/4"
Process Connection:	1.5" Triclamp Sanitary Connection
Temperature Range:	0/250°F
Accuracy:	+/- 1% of full scale
Actuation:	Bimetal coil in stem
Sealing:	Hermetically Sealed per ASME B40.3

Options and Accessories:	(may not be depicted in drawing)
Option 1:	Hi-Vis Dial (High Visibility)
Option 2:	Polycarbonate Window

Revisions*:	Data generated on:	1/10/2020
Latest Rev:	x1	Rev. Date: 11/1/2012
Description:	Initial Release	

*Revision date applies to all possible data: Individual drawings may not be affected. To obtain current revision, re-generate drawing at www.reotemp.com.

Part Name: BB060CF47-HVPY		
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES TOLERANCES ARE: FRACTIONS DECIMALS ANGLES ± 1/32 .X ± .2 ± 5° .XX ± .01 .XXX ± .005	REOTEMP Instrument Corporation REOTEMP INSTRUMENTS 10656 Roselle Street San Diego, CA 92121 USA Phone: (858) 784-0710 Fax: (858) 784-0720	DATE SEE ABOVE DRAWN BY JR APPROVED
File Control BH-BB BC-CA25 BS-25	Copyright © 2012 REOTEMP Instruments	SIZE B CAGE CODE: 24793 DWG NO. SEE ABOVE
SCALE: NTS	FILE NAME:	SHEET 1 OF 1

THIS DRAWING AND SPECIFICATIONS ARE THE PROPERTY OF REOTEMP INSTRUMENT CORP. AND ARE ISSUED IN STRICT CONFIDENCE AND SHALL NOT BE REPRODUCED, COPIED OR USED AS THE BASIS FOR MANUFACTURE OR SALE OF ITEMS DEPICTED HEREIN WITHOUT WRITTEN PERMISSION FROM REOTEMP INSTRUMENT CORP.
NOTES (UNLESS OTHERWISE SPECIFIED):
1. DIMENSIONS ARE IN INCHES