


Bimetal Thermometer

**Part #:**

LL080XF35

Description:

Industrial Bimetal Dial Thermometer, 3" Dial, Adjustable Angle/Reset, Custom 8" Stem, Plain Unthreaded Bushing, 0/100°F *

Thermometer Data:

| | |
|----------------------------------|------------------------------------|
| Dial Size/ Configuration: | 3" Dial, Adjustable Angle/Reset |
| Stem Length, "A" : | 8 in. (203mm) |
| Stem Dia., "d" : | 1/4" |
| Process Connection: | Plain Unthreaded Bushing |
| Temperature Range: | 0/100°F * |
| Accuracy: | +/- 1% of full scale |
| Actuation: | Bimetal coil in stem |
| Sealing: | Hermetically Sealed per ASME B40.3 |

Revisions*:

Data generated on:

3/3/2022

Latest Rev:

x1

Rev. Date:

11/1/2012

Description:

Initial Release

*Revision date applies to all possible data: Individual drawings may not be affected. To obtain current revision, re-generate drawing at reotemp.com.

Part Name: LL080XF35

UNLESS OTHERWISE SPECIFIED
DIMENSIONS ARE IN INCHES
TOLERANCES ARE:
FRACTIONS DECIMALS ANGLES
± 1/32 .X ± .2 ± 5°
.XX ± .01
.XXX ± .005

Reotemp Instrument Corporation

REOTEMP

10656 Roselle Street

San Diego, CA 92121 USA

Phone: (858) 784-0710

Fax: (858) 784-0720

DATE

SEE ABOVE

DRAWN BY

JR

APPROVED

File Control

BH-LL

BC-X/J25

BS-25

© 2021

Reotemp Instrument Corp.

SIZE

B

CAGE CODE:

24793

SCALE: NTS

DWG NO.

SEE ABOVE

FILE NAME:

SHEET 1 OF 1

THIS DRAWING AND SPECIFICATIONS ARE THE PROPERTY OF REOTEMP INSTRUMENT CORP., AND ARE ISSUED IN STRICT CONFIDENCE AND SHALL NOT BE REPRODUCED, COPIED OR USED AS THE BASIS FOR MANUFACTURE OR SALE OF ITEMS DEPICTED HEREIN WITHOUT WRITTEN PERMISSION FROM REOTEMP INSTRUMENT CORP.

NOTES (UNLESS OTHERWISE SPECIFIED):
1. DIMENSIONS ARE IN INCHES